DOSATRON® WATER POWERED DOSING TECHNOLOGY

SCHEMATICS

Dosatron Liquid Dispenser
Model # D25RE10 – 8.8 GPM
1:33 – 1:10
4.3 – 57 PSI
¾" NPT connection


Suggested Installation:
200 mesh/80 micron water filter prior to unit
One-way check valve downstream from unit for water hammer protection


Suggested Maintenance Interval:
Replace injection seals every 12 months

DOSATRON SALES & SERVICE - NORTH & CENTRAL AMERICA
Dosatron International, Inc.
Phone: 727-443-5404 Service: (800) 523-8499
Fax: 727-447-0591
www.dosatronUSA.com

D25RE10

8.8 GPM - 1:33 - 1:10
4.3 - 57 psi






Injection Seal Kit Part #: PJ120


D25RE10

8.8 GPM - 1:33 - 1:10
4.3 - 57 psi




D25RE10

8.8 GPM - 1:33 - 1:10
4.3 - 57 psi




D25RE10

8.8 GPM - 1:33 - 1:10
4.3 - 57 psi



D25RE10

8.8 GPM - 1:33 - 1:10
4.3 - 57 psi



D

© DOSATRON INTERNATIONAL S.A.S. 2008

D25RE10

8.8 GPM - 1:33 - 1:10
4.3 - 57 psi

